

◎銅丸管定尺

単位:mm

C1220T					
りん脱酸銅丸管					
調質	外径	×	肉厚	×	長さ
H	2	×	0.4	×	5,000
H	2.5	×	0.4	×	5,000
H	3	×	0.5	×	5,000
H	3	×	0.75	×	5,000
H	4	×	0.5	×	5,000
H	4	×	0.8	×	5,000
H	4	×	1	×	5,000
H	5	×	0.5	×	5,000
H	5	×	0.8	×	5,000
H	5	×	1	×	5,000
H	6	×	0.5	×	5,000
1/2H	6	×	0.8	×	5,000
1/2H	6	×	1	×	5,000
1/2H	6	×	1.2	×	5,000
H	6	×	1.5	×	5,000
H	6	×	2	×	5,000
1/2H	6.35	×	0.8	×	5,000
1/2H	6.35	×	1	×	5,000
1/2H	6.35	×	1.2	×	5,000
H	6.35	×	1.5	×	5,000
H	6.35	×	2	×	5,000
1/2H	7	×	1	×	5,000
H	7	×	1.5	×	5,000
1/2H	8	×	0.8	×	5,000
1/2H	8	×	1	×	5,000
1/2H	8	×	1.2	×	5,000
H	8	×	1.5	×	5,000
H	8	×	2	×	5,000
1/2H	9	×	1	×	5,000
H	9	×	1.5	×	5,000
1/2H	9.5	×	0.8	×	5,000
1/2H	9.5	×	1	×	5,000
1/2H	9.5	×	1.2	×	5,000
H	9.5	×	1.5	×	5,000
H	9.5	×	2	×	5,000
1/2H	10	×	0.8	×	5,000
1/2H	10	×	1	×	5,000
1/2H	10	×	1.2	×	5,000
H	10	×	1.4	×	5,000
H	10	×	1.5	×	5,000
1/2H	10	×	1.6	×	5,000
H	10	×	2	×	5,000
H	10	×	2.8	×	5,000
1/2H	11	×	1	×	5,000
H	11	×	1.5	×	5,000
H	11	×	2	×	5,000
1/2H	12	×	0.8	×	5,000
1/2H	12	×	1	×	5,000
1/2H	12	×	1.2	×	5,000
H	12	×	1.5	×	5,000
H	12	×	2	×	5,000

C1220T					
りん脱酸銅丸管					
調質	外径	×	肉厚	×	長さ
H	12	×	3	×	5,000
1/2H	12.7	×	0.8	×	5,000
1/2H	12.7	×	1	×	5,000
1/2H	12.7	×	1.2	×	5,000
H	12.7	×	1.5	×	5,000
H	12.7	×	2	×	5,000
H	12.7	×	3	×	5,000
1/2H	14	×	1	×	5,000
1/2H	14	×	1.2	×	5,000
H	14	×	1.5	×	5,000
H	14	×	2	×	5,000
H	14	×	3	×	5,000
1/2H	15	×	1	×	5,000
1/2H	15	×	1.2	×	5,000
H	15	×	1.5	×	5,000
1/2H	15	×	1.6	×	5,000
1/2H	15	×	1.8	×	5,000
H	15	×	2	×	5,000
H	15	×	3	×	5,000
H	15.88	×	0.6	×	5,000
1/2H	15.88	×	0.8	×	5,000
1/2H	15.88	×	1	×	5,000
1/2H	15.88	×	1.2	×	5,000
H	15.88	×	1.5	×	5,000
H	15.88	×	2	×	5,000
H	15.88	×	3	×	5,000
H	16	×	2	×	5,000
H	16	×	2.5	×	5,000
H	16	×	4	×	5,000
1/2H	18	×	1	×	5,000
1/2H	18	×	1.2	×	5,000
H	18	×	1.5	×	5,000
H	18	×	2	×	5,000
H	18	×	3	×	5,000
1/2H	19.05	×	0.8	×	5,000
1/2H	19.05	×	1	×	5,000
1/2H	19.05	×	1.2	×	5,000
H	19.05	×	1.5	×	5,000
H	19.05	×	2	×	5,000
H	19.05	×	2.5	×	5,000
H	19.05	×	3	×	5,000
H	19.05	×	4	×	5,000
1/2H	20	×	1	×	5,000
1/2H	20	×	1.2	×	5,000
H	20	×	1.5	×	5,000
1/2H	20	×	1.6	×	5,000
1/2H	20	×	1.8	×	5,000
H	20	×	2	×	5,000
H	20	×	2.5	×	5,000
H	20	×	3	×	5,000
1/2H	20	×	4	×	5,000

C1220T					
りん脱酸銅丸管					
質別	外径	×	肉厚	×	長さ
H	20	×	5	×	5,000
H	22	×	1.2	×	5,000
1/2H	22	×	1.5	×	5,000
H	22	×	1.5	×	5,000
H	22	×	2	×	5,000
H	22	×	2.5	×	5,000
H	22	×	3	×	5,000
H	22	×	3.5	×	5,000
H	22	×	4	×	5,000
H	22	×	5	×	5,000
H	22.2	×	0.8	×	5,000
1/2H	22.2	×	1	×	5,000
H	22.2	×	1	×	5,000
H	22.2	×	1.2	×	5,000
H	22.2	×	1.6	×	5,000
1/2H	25	×	1	×	5,000
H	25	×	1	×	5,000
H	25	×	1.5	×	5,000
1/2H	25	×	1.8	×	5,000
H	25	×	2	×	5,000
H	25	×	2.5	×	5,000
H	25	×	3	×	5,000
H	25	×	4	×	5,000
H	25	×	5	×	5,000
1/2H	25.4	×	0.8	×	5,000
1/2H	25.4	×	1	×	5,000
1/2H	25.4	×	1.2	×	5,000
H	25.4	×	1.5	×	5,000
H	25.4	×	2	×	5,000
H	25.4	×	2.5	×	5,000
H	25.4	×	3	×	5,000
H	25.4	×	5	×	5,000
H	27	×	3	×	5,000
1/2H	28	×	1	×	5,000
H	28	×	1.5	×	5,000
H	28	×	2	×	5,000
H	28	×	3	×	5,000
1/2H	30	×	1	×	5,000
H	30	×	1.5	×	5,000
1/2H	30	×	1.6	×	5,000
H	30	×	2	×	5,000
H	30	×	2.5	×	5,000
H	30	×	3	×	5,000
H	30	×	4	×	5,000
H	30	×	5	×	5,000
1/2H	31.8	×	0.8	×	5,000
1/2H	31.8	×	1	×	5,000
H	31.8	×	1.2	×	5,000
H	31.8	×	1.5	×	5,000
H	31.8	×	2	×	5,000
H	31.8	×	2.5	×	5,000

上記にないサイズもお問合せください

◎銅丸管定尺

単位:mm

単位:mm

C1220T					
りん脱酸銅丸管					
質別	外径	×	肉厚	×	長さ
H	31.8	×	3	×	5,000
H	31.8	×	4	×	5,000
H	31.8	×	5	×	5,000
H	34	×	2	×	5,000
H	34	×	3	×	5,000
H	34.93	×	1.07	×	5,000
H	34.93	×	1.2	×	5,000
H	34.93	×	1.4	×	5,000
H	34.93	×	1.5	×	5,000
H	35	×	2	×	5,000
H	35	×	2.5	×	5,000
H	35	×	3	×	5,000
H	35	×	4	×	5,000
H	35	×	5	×	5,000
H	38.1	×	1	×	5,000
H	38.1	×	1.2	×	5,000
H	38.1	×	1.5	×	5,000
H	38.1	×	2	×	5,000
H	38.1	×	2.5	×	5,000
H	38.1	×	3	×	5,000
H	38.1	×	4	×	5,000
H	38.1	×	5	×	5,000
H	38.1	×	6	×	5,000
H	40	×	1.5	×	5,000
H	40	×	2	×	5,000
H	40	×	2.5	×	5,000
H	40	×	3	×	5,000
H	40	×	4	×	5,000
H	40	×	5	×	5,000
H	41.3	×	1.24	×	5,000
H	41.3	×	1.5	×	5,000
H	41.3	×	2	×	5,000
H	41.3	×	3	×	5,000
H	42.7	×	3	×	5,000
H	44.5	×	1	×	5,000
H	44.5	×	1.5	×	5,000
H	44.5	×	2	×	5,000
H	44.5	×	3	×	5,000
H	45	×	2	×	5,000
H	45	×	2.5	×	5,000
H	45	×	4	×	5,000
H	45	×	5	×	5,000
H	46	×	2	×	5,000
H	48	×	3	×	5,000
H	50	×	2	×	5,000
H	50	×	3	×	5,000
H	50	×	5	×	5,000
H	50.8	×	1.2	×	5,000
H	50.8	×	1.5	×	5,000
H	50.8	×	2	×	5,000
H	50.8	×	2.5	×	5,000

C1220T					
りん脱酸銅丸管					
質別	外径	×	肉厚	×	長さ
H	50.8	×	3	×	5,000
H	50.8	×	4	×	5,000
H	50.8	×	5	×	5,000
H	53.98	×	1.47	×	5,000
H	53.98	×	1.78	×	5,000
H	53.98	×	2	×	5,000
H	55	×	2	×	5,000
H	55	×	2.5	×	5,000
H	55	×	3	×	5,000
H	55	×	5	×	5,000
H	57.15	×	1.5	×	5,000
H	57.15	×	3	×	5,000
H	58	×	2	×	5,000
H	60	×	2	×	5,000
H	60	×	5	×	5,000
H	60.3	×	3	×	5,000
H	60.3	×	4	×	5,000
H	63.5	×	1.2	×	5,000
H	63.5	×	1.6	×	5,000
H	63.5	×	2	×	5,000
H	63.5	×	2.5	×	5,000
H	63.5	×	3	×	5,000
H	63.5	×	4	×	5,000
H	63.5	×	5	×	5,000
H	65	×	3	×	5,000
H	70	×	2	×	5,000
H	70	×	3	×	5,000
H	70	×	4	×	5,000
H	70	×	5	×	5,000
H	76.2	×	1.6	×	5,000
H	76.2	×	2	×	5,000
H	76.2	×	3	×	5,000
H	76.2	×	4	×	5,000
H	76.2	×	5	×	5,000
H	80	×	3	×	5,000
H	80	×	5	×	5,000
H	82.5	×	3	×	5,000
H	88.9	×	2	×	5,000
H	88.9	×	3	×	5,000
H	88.9	×	5	×	5,000
H	100	×	4	×	5,000
H	101.6	×	2	×	5,000
H	101.6	×	3	×	5,000
H	101.6	×	5	×	5,000
H	104.78	×	2.79	×	5,000
H	110	×	5	×	5,000
H	114.3	×	3	×	5,000

上記にないサイズもお問合せください

## ◎黄銅丸管定尺

調質 H材

単位:mm

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
1.6	×	0.2	×	2,000
2	×	0.35	×	2,500
2.5	×	0.4	×	2,500
3	×	0.5	×	2,500
4	×	0.5	×	2,500
4	×	0.8	×	2,500
4	×	1	×	2,500
5	×	0.5	×	5,000
5	×	0.8	×	5,000
5	×	1	×	5,000
6	×	0.5	×	5,000
6	×	0.8	×	5,000
6	×	1	×	5,000
6	×	1.2	×	5,000
6	×	1.5	×	5,000
6.35	×	0.5	×	5,000
6.35	×	0.8	×	5,000
6.35	×	1	×	5,000
7	×	0.5	×	5,000
7	×	0.9	×	5,000
7	×	1	×	5,000
8	×	0.5	×	5,000
8	×	0.8	×	5,000
8	×	1	×	5,000
8	×	1.5	×	5,000
8	×	2.0	×	5,000
9	×	0.5	×	5,000
9	×	0.8	×	5,000
9	×	1.0	×	5,000
9.5	×	0.5	×	5,000
9.5	×	0.8	×	5,000
9.5	×	1.0	×	5,000
9.5	×	1.2	×	5,000
9.5	×	1.5	×	5,000
10	×	0.5	×	5,000
10	×	0.8	×	5,000
10	×	1.0	×	5,000
10	×	1.2	×	5,000
10	×	1.5	×	5,000
10	×	2.0	×	5,000
11	×	0.8	×	5,000
11	×	1.0	×	5,000
11	×	1.5	×	5,000
12	×	0.8	×	5,000
12	×	1.0	×	5,000
12	×	1.2	×	5,000
12	×	1.5	×	5,000

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
12	×	2.0	×	5,000
12.7	×	0.5	×	5,000
12.7	×	0.8	×	5,000
12.7	×	1.0	×	5,000
12.7	×	1.2	×	5,000
12.7	×	1.5	×	5,000
12.7	×	2.0	×	5,000
12.7	×	3.0	×	5,000
13	×	1.0	×	5,000
14	×	0.8	×	5,000
14	×	1.0	×	5,000
14	×	1.5	×	5,000
14	×	2.0	×	5,000
15	×	1.0	×	5,000
15	×	1.2	×	5,000
15	×	1.5	×	5,000
15	×	2.0	×	5,000
15	×	3.0	×	5,000
15.88	×	0.5	×	5,000
15.88	×	0.8	×	5,000
15.88	×	1.0	×	5,000
15.88	×	1.2	×	5,000
15.88	×	1.5	×	5,000
15.88	×	2.0	×	5,000
15.88	×	3.0	×	5,000
17	×	2.0	×	5,000
18	×	1.0	×	5,000
18	×	1.5	×	5,000
18	×	2.0	×	5,000
18	×	3.0	×	5,000
19.05	×	0.5	×	5,000
19.05	×	0.8	×	5,000
19.05	×	1.0	×	5,000
19.05	×	1.2	×	5,000
19.05	×	1.5	×	5,000
19.05	×	2.0	×	5,000
19.05	×	3.0	×	5,000
20	×	1.0	×	5,000
20	×	1.5	×	5,000
20	×	2.0	×	5,000
20	×	3.0	×	5,000
21.7	×	2.5	×	5,000
22	×	0.5	×	5,000
22	×	0.8	×	5,000
22	×	1.0	×	5,000
22	×	1.2	×	5,000
22	×	1.5	×	5,000

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
22	×	2.0	×	5,000
22	×	3.0	×	5,000
22	×	4.0	×	5,000
24	×	2.0	×	5,000
25	×	1.0	×	5,000
25	×	1.5	×	5,000
25	×	2.0	×	5,000
25	×	2.5	×	5,000
25	×	3.0	×	5,000
25.4	×	0.5	×	5,000
25.4	×	0.8	×	5,000
25.4	×	1.0	×	5,000
25.4	×	1.2	×	5,000
25.4	×	1.5	×	5,000
25.4	×	2.0	×	5,000
25.4	×	2.5	×	5,000
25.4	×	3.0	×	5,000
25.4	×	5.0	×	5,000
27	×	3.0	×	5,000
27	×	3.5	×	5,000
27	×	4.0	×	5,000
28	×	1.0	×	5,000
28	×	1.5	×	5,000
28	×	2.0	×	5,000
28	×	3.0	×	5,000
28	×	4.0	×	5,000
28.5	×	1.5	×	5,000
28.5	×	2.0	×	5,000
28.5	×	3.0	×	5,000
28.5	×	5.0	×	5,000
30	×	1.0	×	5,000
30	×	1.5	×	5,000
30	×	2.0	×	5,000
30	×	2.5	×	5,000
30	×	3.0	×	5,000
30	×	4.0	×	5,000
30	×	5.0	×	5,000
31.8	×	0.8	×	5,000
31.8	×	1.0	×	5,000
31.8	×	1.2	×	5,000
31.8	×	1.5	×	5,000
31.8	×	2.0	×	5,000
31.8	×	2.5	×	5,000
31.8	×	3.0	×	5,000
31.8	×	4.0	×	5,000
31.8	×	5.0	×	5,000

上記にないサイズもお問合せください

## ◎黄銅丸管定尺

調質 H材

単位:mm

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
34	×	2.0	×	5,000
34	×	3.0	×	5,000
34	×	4.0	×	5,000
35	×	1.0	×	5,000
35	×	1.2	×	5,000
35	×	1.5	×	5,000
35	×	2.0	×	5,000
35	×	3.0	×	5,000
35	×	4.0	×	5,000
35	×	5.0	×	5,000
36	×	3.0	×	5,000
38.1	×	0.8	×	5,000
38.1	×	1.0	×	5,000
38.1	×	1.2	×	5,000
38.1	×	1.5	×	5,000
38.1	×	2.0	×	5,000
38.1	×	3.0	×	5,000
38.1	×	4.0	×	5,000
38.1	×	5.0	×	5,000
40	×	1.0	×	5,000
40	×	1.5	×	5,000
40	×	2.0	×	5,000
40	×	3.0	×	5,000
40	×	4.0	×	5,000
40	×	5.0	×	5,000
41.3	×	1.5	×	5,000
41.3	×	3.0	×	5,000
42	×	1.0	×	5,000
42	×	4.0	×	5,000
42.7	×	1.5	×	5,000
42.7	×	3.0	×	5,000
44.5	×	1.0	×	5,000
44.5	×	1.5	×	5,000
44.5	×	2.0	×	5,000
44.5	×	3.0	×	5,000
44.5	×	4.0	×	5,000
44.5	×	5.0	×	5,000
47.6	×	1.5	×	5,000
47.6	×	3.0	×	5,000
48	×	5.0	×	5,000
48.6	×	3.0	×	5,000
50	×	1.5	×	5,000
50	×	2.0	×	5,000
50	×	3.0	×	5,000
50	×	4.0	×	5,000
50	×	5.0	×	5,000

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
50.8	×	1.0	×	5,000
50.8	×	1.2	×	5,000
50.8	×	1.5	×	5,000
50.8	×	2.0	×	5,000
50.8	×	3.0	×	5,000
50.8	×	4.0	×	5,000
50.8	×	5.0	×	5,000
54	×	1.5	×	5,000
55	×	1.5	×	5,000
55	×	3.0	×	5,000
55	×	5.0	×	5,000
57.15	×	1.5	×	5,000
57.15	×	2.0	×	5,000
57.15	×	3.0	×	5,000
57.15	×	4.0	×	5,000
57.15	×	5.0	×	5,000
60	×	1.5	×	5,000
60	×	2.0	×	5,000
60.3	×	3.0	×	5,000
60.3	×	4.0	×	5,000
60.3	×	5.0	×	5,000
63.5	×	1.2	×	5,000
63.5	×	1.5	×	5,000
63.5	×	2.0	×	5,000
63.5	×	3.0	×	5,000
63.5	×	4.0	×	5,000
63.5	×	5.0	×	5,000
65	×	3.0	×	5,000
65	×	5.0	×	5,000
70	×	2.0	×	5,000
70	×	3.0	×	5,000
70	×	4.0	×	5,000
70	×	5.0	×	5,000
75	×	3.0	×	5,000
75	×	5.0	×	5,000
76.2	×	1.5	×	5,000
76.2	×	2.0	×	5,000
76.2	×	3.0	×	5,000
76.2	×	4.0	×	5,000
76.2	×	5.0	×	5,000
76.2	×	6.0	×	5,000
80	×	3.0	×	5,000
80	×	4.0	×	5,000
80	×	5.0	×	5,000
82.5	×	3.0	×	5,000
82.5	×	5.0	×	5,000

C2700T				
黄銅2種				
外径	×	肉厚	×	長さ
85	×	3.0	×	5,000
85	×	5.0	×	5,000
88.9	×	1.6	×	5,000
88.9	×	2.0	×	5,000
88.9	×	3.0	×	5,000
88.9	×	4.0	×	5,000
88.9	×	5.0	×	5,000
90	×	3.0	×	5,000
90	×	5.0	×	5,000
95	×	3.0	×	5,000
95	×	5.0	×	5,000
101.6	×	1.6	×	5,000
101.6	×	2.0	×	5,000
101.6	×	3.0	×	5,000
101.6	×	4.0	×	5,000
101.6	×	5.0	×	5,000
101.6	×	6.0	×	5,000
108	×	3.0	×	5,000
110	×	3.0	×	5,000
110	×	5.0	×	5,000
114.3	×	3.0	×	5,000
114.3	×	5.0	×	5,000
120	×	3.0	×	5,000
120	×	5.0	×	5,000
127	×	3.0	×	5,000
127	×	5.0	×	5,000
127	×	6.5	×	5,000
130	×	5.0	×	5,000
135	×	5.0	×	5,000
140	×	3.0	×	5,000
140	×	5.0	×	5,000
152.4	×	3.2	×	5,000
152.4	×	5.0	×	5,000
152.4	×	6.0	×	5,000
160	×	5.0	×	5,000
165	×	5.0	×	5,000
180	×	5.0	×	5,000
200	×	5.0	×	5,000

上記にないサイズもお問合せください